

# Renault CONVERSIONS

Tailor Made Solutions for your Business



## Renault Refrigerated Vehicles



# Renault Accredited Conversions - Tailor Made Solutions for your business:

The Traffic Fridge and Freezer adaptations are part of Renault's Accredited Conversion range that has been developed to complement our 'Off the Shelf' Conversions.

The range comprises of popular specialist vehicle types such as Refrigerated Vans, Minibuses, Grounds Maintenance Vehicles and Welfare vehicles.

The Accredited range offers a standard specification based on the expert collaboration between Renault and our accredited converter partners.

The specifications have been developed to meet common requirements however, they can be adapted to suit specific customer requirements, providing a truly tailor made solution.

Our accredited range has been developed in partnership exclusively with converters who have received Renault approval after being assessed on their technical and quality standards by a dedicated team from Renault. A list of these can be found at [www.conversions.renault.co.uk](http://www.conversions.renault.co.uk)

All of our accredited conversions are available to order directly via our Dealer Network.

For more information please contact [conversions@renault.co.uk](mailto:conversions@renault.co.uk)

## Efficient, clever and versatile

The Traffic Van has been specifically designed to meet the needs of professionals, whatever their business environment. In panel van, crew van and passenger versions, the Traffic can be adapted to your every demand, offering a wide range of custom-built and practical solutions, plus the ability to create other variations using the Platform Cab version as a base. With its stylish and protective design, quiet efficient engines, the latest on-board technology and high levels of comfort and safety, the Traffic holds all the cards.



## Converted by CoolKit Limited

Coolkit offers a broad range of refrigerated van conversions.

Their refrigerated vehicle conversions are renowned for their light weight, durability, versatility and strength - attributes which provide our customers with the highest payload and most reliable service throughout the vehicle lifetime.

The conversions have been validated by an unrivalled combination of Standard Certifications and Vehicle Manufacturer Approvals.



CoolKit Limited, Farrington Place, Farrington Road Industrial Estate, Burnley, BB11 5TY - Tel: 0845 459 5418 - Email: [sales@coolkit.co.uk](mailto:sales@coolkit.co.uk)

Continue the Renault Conversions experience  
on **renault.co.uk**

### Refrigerated Versions:

This conversion can be ordered directly from your Renault dealer and is available on all versions of Short or Long wheelbase Renault Traffic (SL27, SL29 & LL29) as well as a range of trim levels.

50mm insulation suitable for CHILLED applications with access to rear and side doors. Hubbard Zanotti SFZ008 fridge unit capable of temperatures 0°C to +8°C Road operation only. Under chassis condenser.

#### Dimensions:

	SL27	LL29
Load volume (m <sup>3</sup> )	4.7	5.4
Wheelbase	3098	3498
Overall length	4999 (5814)	5399
Front overhang	933	933
Rear overhang	968	968
Front track	1615	1615
Rear track	1628	1628
Overall width (without door mirrors)	1956	1956
Overall width (with door mirrors)	2283	2283
Overall height (unladen)	1971	1971
Overall height (laden)	1910	1912
Ground clearance	160	160
Width between wheel arches	1210	1210
Elbow room	1624	1624
Front interior width	1652	1652
Cargo area length at floor	2150	2550
Cargo area length at 1.1m		
Maximum loading area width	1380	1380
Headroom (load area height)	1240	1240
Sliding door width	907	907
Sliding door height	1284	1284
Rear Width (max)	1391	1391
Opening height	1320	1320
Loading sill height (unladen)	552	552
Gross Vehicle Weight	2700kg	2900kg
Maximum Payload <sup>^</sup>	841kg	1031kg

### Freezer Versions:

This conversion can be ordered directly from your Renault dealer and is available on all versions of Short or Long wheelbase Renault Traffic (SL27, SL29 & LL29) as well as a range of trim levels.

75mm insulation suitable for FROZEN applications with access to rear and side doors. Hubbard Zanotti fridge unit capable of temperatures -18°C to +8°C. Under chassis condenser.

#### Dimensions:

	SL27	LL29
Load volume (m <sup>3</sup> )	4.7	5.4
Wheelbase	3098	3498
Overall length	4999 (5814)	5399 (6214)
Front overhang	933	933
Rear overhang	968	968
Front track	1615	1615
Rear track	1628	1628
Overall width (without door mirrors)	1956	1956
Overall width (with door mirrors)	2283	2283
Overall height (unladen)	1971	1971
Overall height (laden)	1910	1912
Ground clearance	160	160
Width between wheel arches	1210	1210
Elbow room	1624	1624
Front interior width	1652	1652
Cargo area length at floor	2125	2525
Maximum loading area width	1380	1380
Headroom (load area height)	1215	1215
Sliding door width	907	907
Sliding door height	1284	1284
Rear Width (max)	1391	1391
Opening height	1320	1320
Loading sill height (unladen)	552	552
Gross Vehicle Weight	2700kg	2900kg
Maximum Payload <sup>^</sup>	826kg	1015kg

It is preferable for the base vehicle to be ordered with the Power Take off option to avoid additional cost. Air conditioning can be retained if applicable. Base vehicles equipped with Stop/Start (ENERGY) engines must have fast idle activated by the dealer

<sup>^</sup>Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, a 100% full AdBlue tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CO<sub>2</sub> and decrease MPG figures.



Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Renault Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. The colours that appear in this document may differ slightly from the actual paint and upholstery colours.

Publication date February 2017.